A close-up, high-angle photograph of numerous stainless steel pipes and tubes stacked together, creating a dense, repeating pattern of circular openings. The lighting highlights the metallic texture and the depth of the pipe interiors.

**STAINLESS STEEL  
PIPES and  
TUBES**

Catalog

[www.DEIMASPA.com](http://www.DEIMASPA.com)




**STAINLESS STEEL**  
**Seamless**  
**& Welded**  
 Tubes and Pipes

**DEA MA S.p.A**

Seamless and Welded Stainless Steel pipes and tubes solutions

DEI MA S.p.A has become one of the world's main Seamless and Welded Stainless Steel pipes and tubes solutions providers. Founded in 2012, DEI MA brings the experience of a world leader combined with a strong R&D effort which is needed to fulfill the future needs of the industry.


DEI MA, exporting into more than 40 countries worldwide, has a share of around 15% of the world market of Seamless Stainless Steel tubular solutions, with a total workforce of around 1.600 employees.



**SEAMLESS**

Extensive range of seamless pipes in all grade

304L	316/L
4301	4401
4306/7	4404
4541	4571



**WELDED**

Extensive range of Welded pipes in all grade

304/L	321/H	316/L
1.4301/07	1.4541	1.4401/04
1.4306		
316Ti	3105	904L
1.4571	1.4845	1.4539
	DUPLEX	
	1.4462	

**Welcome**

Our company and investments are continuously adapting to fulfill the increasing requirements that companies are facing everyday in high demanding activities in the oil & gas, petrochemical, chemical and power generation industries, amongst others. These new challenging needs are driving us to implement in our mills the most advanced verification equipment and inspection procedures to assure product quality and a high service, guaranteed by a fully integrated company with a worldwide presence.

**CORPORATE MISSION STATEMENT:**

TO BE A WORLD CLASS SUPPLIER OF INNOVATIVE STAINLESS STEEL PRODUCTS; CONTINUALLY PURSUING EXCELLENCE, PUTTING QUALITY FIRST AND CONTRIBUTING TO SOCIETY.





# Products Range Welded

Other grades and dimensions are available upon request.

304L	316/L
4301	4401
4306/7	4404
4541	4571

## Stainless Steel Welded Tubes and Pipes

Dimension	304L 4301 4306/7 4541	316/L 4401 4404 4571	Dimension	304L 4306/7 4541	316/L 4401 4404 4571
6,00 x 0,60	p)	.	28,00 x 0,50	.	m)
6,00 x 1,00	.	.	28,00 x 0,80	.	m)
8,00 x 0,50	.	.	28,00 x 1,00	p)	.
8,00 x 1,00	p)	.	28,00 x 1,50	p)	p)
8,00 x 1,50	.	.	28,00 x 2,00	p)	.
10,00 x 0,40	.	.	30,00 x 0,60	.	.
10,00 x 0,50	.	.	30,00 x 1,00	p)	.
10,00 x 0,60	m)	m)	30,00 x 1,50	p)	.
10,00 x 1,00	p)	.	30,00 x 2,00	p)	m)
10,00 x 1,50	.	.	30,00 x 2,50	p)	.
12,00 x 0,40	.	.	31,80 x 1,25	p)	.
12,00 x 0,50	.	.	32,00 x 1,50	p)	m)
12,00 x 0,60	m)	m)	32,00 x 2,00	p)	.
12,00 x 1,00	p)	.	33,00 x 1,50	.	.
12,00 x 1,50	p)	.	33,40 x 1,65 1" SCH 5S	.	.
12,00 x 2,00	.	.	33,40 x 2,77 1" SCH 10S	.	.
12,00 x 1,50	.	.	33,40 x 3,38 1" SCH 40S	.	.
13,50 x 0,40	.	.	33,70 x 1,50	.	.
13,50 x 1,60	.	.	33,70 x 1,60	p)	.
13,50 x 2,30 1/4" GAS	.	.	33,70 x 2,00	p)	m)
13,72 x 1,65 1/4" SCH 10S	.	.	33,70 x 2,50	p)	.
13,72 x 2,24 1/4" SCH 40S	.	.	33,70 x 2,60	.	.
14,00 x 0,40	.	.	33,70 x 3,00	p)	.
14,00 x 1,00	p)	.	33,70 x 3,20 1" GAS	.	.
14,00 x 1,50	.	.	34,00 x 1,00	p)	.
14,00 x 2,00	.	.	34,00 x 1,50	p)	.
15,00 x 0,50	.	.	35,00 x 1,00	m)	m)
15,00 x 0,60	m)	m)	35,00 x 1,20	p)	.
15,00 x 1,00	p)	.	35,00 x 1,50	p)	.
15,00 x 1,50	p)	.	35,00 x 2,00	p)	.
15,00 x 2,00	p)	.	38,00 x 1,00	p)	.
16,00 x 0,50	.	.	38,10 x 1,25	p)	.
16,00 x 1,00	p)	.	38,10 x 1,50	p)	p)
16,00 x 1,50	p)	.	38,00 x 2,00	p)	m)
16,00 x 2,00	p)	.	38,00 x 3,00	p)	.
17,15 x 1,65 3/8" SCH 10S	.	.	40,00 x 1,00	p)	.
17,15 x 2,31 3/8" SCH 10S	.	.	40,00 x 1,50	p)	m)
17,20 x 1,50	p)	.	40,00 x 2,00	p)	.
17,20 x 1,60	.	.	40,00 x 2,50	.	.
17,20 x 2,00	p)	.	40,00 x 3,00	p)	m)
17,20 x 2,30 3/8" GAS	.	.	42,00 x 1,20	.	m)
18,00 x 0,50	.	.	42,16 x 1,65 1.1/4" SCH 5S	.	.
18,00 x 0,70	m)	m)	42,16 x 2,77 1.1/4" SCH 10S	.	.
18,00 x 1,00	p)	.	42,16 x 3,56 1.1/4" SCH 40S	.	.
18,00 x 1,50	p)	.	42,40 x 1,50	p)	.
18,00 x 2,00	p)	.	42,40 x 1,60	.	.
19,00 x 1,50	.	.	42,40 x 2,00	p)	m)
19,05 x 1,65 3/8" x 0.065"	.	.	42,40 x 2,50	p)	.
19,05 x 2,11 3/8" x 0.083"	.	.	42,40 x 2,60	.	.
20,00 x 0,50	.	.	42,40 x 3,00	p)	.
20,00 x 1,00	p)	.	42,40 x 3,20 1.1/4" GAS	.	.
20,00 x 1,50	p)	.	43,00 x 1,50	.	.
20,00 x 2,00	p) m)	.	44,50 x 1,50	.	.
21,30 x 1,50	p)	.	44,50 x 2,00	.	.
21,30 x 1,60	.	.	45,00 x 1,50	p)	m)
21,30 x 2,00	p) m)	p)	45,00 x 2,00	p)	.
21,30 x 2,50	p) m)	.	48,26 x 1,65 1.1/2" SCH 5S	.	.
21,30 x 2,60 1/2" GAS	.	.	48,26 x 2,77 1.1/2" SCH 10S	.	.
21,34 x 1,65 1/2" SCH 5S	.	.	48,26 x 3,68 1.1/2" SCH 40S	.	.
21,34 x 2,11 1/2" SCH 10S	.	.	48,30 x 1,50	p)	.
21,34 x 2,77 1/2" SCH 40S	.	.	48,30 x 1,60	.	.
22,00 x 0,50	.	.	48,30 x 2,00	p)	m)
22,00 x 0,70	m)	m)	48,30 x 2,50	p)	.
22,00 x 1,00	p)	.	48,30 x 2,60	.	.
22,00 x 1,20	p)	.	48,30 x 3,00	p)	.
22,00 x 1,50	p)	.	48,30 x 3,20 1.1/2" GAS	.	.
22,00 x 2,00	p) m)	.	50,00 x 1,50	p)	m)
23,00 x 1,50	.	.	50,00 x 2,00	p)	.
25,00 x 0,50	.	.	50,80 x 1,20	p)	.
25,00 x 1,00	p)	.	50,80 x 1,50	p)	p)
25,00 x 1,50	p)	.	50,80 x 2,00	p)	.
25,00 x 2,00	p) m)	.	50,80 x 2,50	.	.
25,00 x 2,50	.	.	50,80 x 3,00	p)	.
25,40 x 1,25	.	.	52,00 x 1,00	p)	.
25,40 x 1,65 1" x 0.065"	p)	p)	52,00 x 1,50	p)	p)
25,40 x 2,11 1" x 0.038"	.	.	53,00 x 1,50	.	.
26,67 x 1,65 3/4" SCH 5S	.	.	54,00 x 1,20	m)	m)
26,67 x 2,11 3/4" SCH 10S	.	.	54,00 x 1,50	.	.
26,67 x 2,86 3/4" SCH 40S	.	.	54,00 x 2,00	p)	.
26,90 x 1,50	p)	.	57,00 x 2,00	.	.
26,90 x 1,60	.	.	57,00 x 3,00	.	.
26,90 x 2,00	p) m)	p)	60,30 x 1,50	p)	.
26,90 x 2,50	p)	.	60,30 x 1,60	.	.
26,90 x 2,60 3/4" GAS	.	.	60,30 x 2,00	p) m)	p)



### WELDED TUBES AND PIPES

**ASTM-A 269(M)**  
Welded and calibrated, annealed and pickled or bright annealed.  
Execution, tolerances and testing according to ASTM-A 269 / ASTM-A 450.

**ASTM-A 312**  
Welded and calibrated, annealed and pickled or bright annealed.  
Execution, tolerances and testing according to ASTM-A 312 / A 999, ANSI B36.10 / B36.19.

**ASTM-A 778**  
Welded and calibrated, not annealed pickled.  
Execution, tolerances and testing according to ASTM-A 778 / A 999, ANSI B36.10 / B36.19.

**DIN 17457 PK1**  
Welded and calibrated, not annealed or pickled or brushed or as welded.  
Welded and calibrated, annealed and pickled or bright annealed.  
Execution, tolerances and testing according to DIN 17457 PK1.  
Tolerances according to DIN 1127 D2/T3 or D3/T3 or D4/T3.

**DECORATION TUBES**  
Execution according to NF A 49-647, brushed or polished or mirror polished.  
Other grades and dimensions are available upon request.

Random lengths of about 6 meter (min. 5 meter – max. 7 meter).

Certificates: 3.1B on request



# Stainless Steel Welded Tubes and Pipes

Dimension	304L	316/L	Dimension	304L	316/L
	4301 4306/7 4541	4401 4404 4571		4301 4306/7 4541	4401 4404 4571
60,30 x 2,50	p)	.	168,30 x 2,60	.	.
60,30 x 2,60	.	.	168,30 x 3,00	.	.
60,30 x 3,00	p)	.	168,30 x 4,00	.	.
60,30 x 3,60	2" GAS	.	179,00 x 2,00	.	.
60,33 x 1,65	2" SCH 5S	.	204,00 x 2,00	.	.
60,33 x 2,77	2" SCH 10S	.	206,00 x 3,00	.	.
60,33 x 3,91	2" SCH 40S	.	208,00 x 4,00	.	.
63,50 x 1,50	p)	p)	219,08 x 2,77	8" SCH 5S	.
63,50 x 1,60	.	.	219,08 x 3,76	8" SCH 10S	.
63,50 x 2,00	.	.	219,08 x 6,35	8" SCH 20S	.
63,50 x 2,60	.	.	219,08 x 8,18	8" SCH 40S	.
64,00 x 2,00	.	.	219,08 x 1,27	8" SCH 80S	.
69,00 x 2,00	.	.	219,10 x 2,00	.	.
70,00 x 1,50	p)	.	219,10 x 2,60	.	.
70,00 x 2,00	p)	p)	219,10 x 3,00	.	.
70,00 x 3,00	.	.	219,10 x 4,00	.	.
73,00 x 1,50	.	.	254,00 x 2,00	.	.
73,03 x 2,11	2.1/2" SCH 5S	.	256,00 x 3,00	.	.
73,03 x 3,05	2.1/2" SCH 10S	.	273,00 x 2,00	.	.
73,03 x 5,16	2.1/2" SCH 40S	.	273,00 x 2,60	.	.
74,00 x 2,00	.	.	273,00 x 3,00	.	.
76,10 x 1,50	p)	p)	273,00 x 4,00	.	.
76,10 x 1,60	.	.	273,05 x 3,40	10" SCH 5S	.
76,10 x 2,00	p) m)	p)	273,05 x 4,19	10" SCH 10S	.
76,10 x 2,60	.	.	273,05 x 6,35	10" SCH 20S	.
76,10 x 3,00	p)	.	273,05 x 9,27	10" SCH 40S	.
76,10 x 3,60	2.1/2" GAS	.	273,05 x 1,27	10" SCH 80S	.
80,00 x 1,50	p)	.	304,00 x 2,00	.	.
80,00 x 2,00	p)	.	306,00 x 3,00	.	.
80,00 x 3,00	.	.	323,85 x 3,96	12" SCH 5S	.
83,00 x 1,50	.	.	323,85 x 4,57	12" SCH 10S	.
84,00 x 2,00	.	.	323,85 x 6,35	12" SCH 20S	.
85,00 x 2,00	p)	p)	323,85 x 9,53	12" SCH 40S	.
88,90 x 1,50	p)	.	323,85 x 1,27	12" SCH 80S	.
88,90 x 1,60	.	.	354,00 x 2,00	.	.
88,90 x 2,00	p) m)	p)	355,60 x 2,90	.	.
88,90 x 2,60	.	.	355,60 x 4,00	.	.
88,90 x 3,00	p)	.	355,60 x 3,96	14" SCH 5S	.
88,90 x 4,00	3" GAS	.	355,60 x 4,78	14" SCH 10S	.
88,90 x 2,11	3" SCH 5S	.	355,60 x 6,35	14" SCH 10	.
88,90 x 3,05	3" SCH 10S	.	355,60 x 9,53	14" SCH 40S	.
88,90 x 5,49	3" SCH 40S	.	406,40 x 2,90	.	.
101,60 x 1,50	p)	p)	406,40 x 4,00	.	.
101,60 x 2,00	p) m)	.	406,40 x 4,19	16" SCH 5S	.
101,60 x 3,00	.	.	406,40 x 4,78	16" SCH 10S	.
101,60 x 4,00	3.1/2" GAS	.	406,40 x 6,35	16" SCH 10	.
101,60 x 2,11	3.1/2" SCH 5S	.	406,40 x 9,53	16" SCH 40S	.
101,60 x 3,05	3.1/2" SCH 10S	.	457,20 x 3,00	.	.
101,60 x 5,74	3.1/2" SCH 40S	.	457,20 x 4,00	.	.
103,00 x 1,50	.	.	457,20 x 4,19	18" SCH 5S	.
104,00 x 2,00	p)	p)	457,20 x 4,78	18" SCH 10S	.
106,00 x 3,00	.	.	457,20 x 6,35	18" SCH 10	.
108,00 x 2,00	.	.	457,20 x 9,53	18" SCH 40S	.
108,00 x 3,00	.	.	508,00 x 2,90	.	.
108,00 x 4,00	.	.	508,00 x 4,00	.	.
114,30 x 1,60	.	.	508,00 x 4,78	20" SCH 5S	.
114,30 x 2,00	p) m)	p)	508,00 x 5,56	20" SCH 10S	.
114,30 x 2,60	.	.	508,00 x 6,35	20" SCH 10	.
114,30 x 3,00	p)	.	508,00 x 9,53	20" SCH 40S	.
114,30 x 4,00	.	.	558,80 x 4,78	22" SCH 5S	.
114,30 x 2,11	4" SCH 5S	.	558,80 x 5,56	22" SCH 10S	.
114,30 x 3,05	4" SCH 10S	.	558,80 x 9,53	22" SCH 40S	.
114,30 x 6,02	4" SCH 40S	.	609,60 x 2,90	.	.
129,00 x 2,00	p)	.	609,60 x 4,00	.	.
131,00 x 3,00	.	.	609,60 x 5,56	24" SCH 5S	.
133,00 x 2,00	.	.	609,60 x 6,35	24" SCH 10S	.
133,00 x 3,00	.	.	609,60 x 9,53	24" SCH 40S	.
133,00 x 4,00	.	.	711,20 x 4,00	28" x 0.157"	.
139,70 x 2,00	.	.	711,20 x 6,35	28" x 0.250"	.
139,70 x 2,60	.	.	812,80 x 4,00	32" x 0.157"	.
139,70 x 3,00	.	.	812,80 x 6,35	32" x 0.250"	.
139,70 x 4,00	.	.	914,40 x 4,00	36" x 0.157"	.
141,30 x 3,40	5" SCH 10S	.	914,40 x 6,35	36" x 0.250"	.
141,30 x 6,55	5" SCH 40S	.	.	.	.
153,00 x 1,50	.	.	.	.	.
154,00 x 2,00	p)	.	.	.	.
156,00 x 3,00	.	.	.	.	.
159,00 x 2,00	.	.	.	.	.
159,00 x 3,00	.	.	.	.	.
159,00 x 4,00	p)	.	.	.	.
168,28 x 2,77	6" SCH 5S	.	.	.	.
168,28 x 3,40	6" SCH 10S	.	.	.	.
168,30 x 7,11	6" SCH 40S	.	.	.	.
168,30 x 2,00	.	.	.	.	.



## WELDED TUBES AND PIPES

### ASTM-A 269(M)

Welded and calibrated, annealed and pickled or bright annealed.  
Execution, tolerances and testing according to ASTM-A 269 / ASTM-A 450.

### ASTM-A 312

Welded and calibrated, annealed and pickled or bright annealed.  
Execution, tolerances and testing according to ASTM-A 312 / A 999, ANSI B36.10 / B36.19.

### ASTM-A 778

Welded and calibrated, not annealed pickled.  
Execution, tolerances and testing according to ASTM-A 778 / A 999, ANSI B36.10 / B36.19.

### DIN 17457 PK1

Welded and calibrated, not annealed or pickled or brushed or as welded.  
Welded and calibrated, annealed and pickled or bright annealed.  
Execution, tolerances and testing according to DIN 17457 PK1.  
Tolerances according to DIN 1127 D2/T3 or D3/T3 or D4/T3.

### DECORATION TUBES

Execution according to NF A 49-647, brushed or polished or mirror polished.  
Other grades and dimensions are available upon request.

Random lengths of about 6 meter (min. 5 meter – max. 7 meter).

Certificates: 3.1B on request

# Products Range Seamless

Other grades and dimensions are available upon request.

304/L	321/H	316/L	316Ti	310S	904L	DUPLEX
1.4301/07	1.4541	1.4401/04	1.4571	1.4845	1.4539	1.4462
1.4306						

# Stainless Steel Seamless Tubes and Pipes



Dimension	304/L 1.4301/07 1.4306	321/H 1.4541	316/L 1.4401/04	316Ti 1.4571	310S 1.4845	904L 1.4539
1,59 x 0,40						
1,59 x 0,51						
3,00 x 0,50						
3,18 x 0,51						
3,18 x 0,56						
3,18 x 0,71						
3,18 x 0,89						
4,00 x 0,50						
4,00 x 1,00						
4,76 x 0,51						
4,76 x 0,56						
4,76 x 0,71						
4,76 x 0,89						
5,00 x 0,50						
5,00 x 1,00						
6,00 x 0,50						
6,00 x 1,00						
6,00 x 1,50						
6,00 x 2,00						
6,35 x 0,51						
6,35 x 0,71						
6,35 x 0,81						
6,35 x 0,89						
6,35 x 1,24						
6,35 x 1,65						
7,00 x 1,00						
7,94 x 0,71						
7,94 x 0,89						
7,94 x 1,24						
8,00 x 0,50						
8,00 x 1,00						
8,00 x 1,50						
8,00 x 2,00						
9,00 x 1,00						
9,00 x 1,50						
9,53 x 0,71						
9,53 x 0,89						
9,53 x 1,24						
9,53 x 1,65						
9,53 x 2,11						
10,00 x 0,50						
10,00 x 1,00						
10,00 x 1,50						
10,00 x 2,00						
10,20 x 1,00						
10,20 x 1,20						
10,20 x 1,60						
10,20 x 2,00						
10,29 x 1,24						
10,29 x 1,73						
10,29 x 2,41						
11,00 x 1,00						
11,00 x 1,50						
11,00 x 2,00						
12,00 x 1,00						
12,00 x 1,50						
12,00 x 2,00						
12,00 x 2,50						
12,00 x 3,00						
12,70 x 0,71						
12,70 x 0,89						
12,70 x 1,24						
12,70 x 1,65						
12,70 x 2,11						
13,00 x 1,00						
13,00 x 1,50						
13,50 x 1,60						
13,50 x 2,30						
13,50 x 2,90						
13,72 x 1,65						
13,72 x 2,24						
13,72 x 3,02						
14,00 x 1,00						
14,00 x 1,50						
14,00 x 2,00						
14,00 x 2,50						
14,00 x 3,00						
15,00 x 1,00						
15,00 x 1,50						
15,00 x 2,00						
15,00 x 2,50						
15,00 x 3,00						

## SEAMLESS TUBES AND PIPES

### ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1

Seamless tubing cold drawn, annealed and pickled or bright annealed. Execution and testing according to ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1

For grade 310S and 1.4845, ASTM-A 213AW and SEW 470 are applicable.

For grade 904L / UNS N08904 and 1.4539, ASTM-8 and VdTUV 421 are applicable.

### ASTM-A 312

Seamless cold drawn or hot finished annealed and pickled or bright annealed. Execution, tolerances and testing according to ASTM-A 312 / A 999, ANSI B36.10 / B36.19.

### DIN 17457 PK1

Seamless cold drawn or hot finished or bright annealed. Execution, and testing according to DIN 17458 PK1. Tolerances according to DIN 1127 D2/T3 or D3/T3 or D4/T3.

Other grades and dimensions are available upon request.

Random lengths of about 6 meter (min. 4 meter – max. 7 meter).

Certificates: 3.1B on request

# Stainless Steel Seamless Tubes and Pipes



Dimension	304/L 1.4301/07 1.4306	321/H 1.4541	316/L 1.4401/04	316Ti 1.4571	310S 1.4845	904L 1.4539	DUPLEX 1.4462
15,88 x 0,89							
15,88 x 0,99							
15,88 x 1,24							
15,88 x 1,65							
15,88 x 2,11							
15,88 x 2,49							
16,00 x 1,00							
16,00 x 1,50							
16,00 x 2,00							
16,00 x 2,50							
16,00 x 3,00							
17,15 x 1,65							
17,15 x 2,35							
17,15 x 3,20							
17,20 x 1,60							
17,20 x 2,30							
17,20 x 3,20							
18,00 x 1,00							
18,00 x 1,50							
18,00 x 2,00							
18,00 x 2,50							
18,00 x 3,00							
19,05 x 0,89							
19,05 x 1,24							
19,05 x 1,65							
19,05 x 2,11							
20,00 x 1,00							
20,00 x 1,50							
20,00 x 2,00							
20,00 x 2,50							
20,00 x 3,00							
20,00 x 4,00							
20,00 x 5,00							
21,30 x 1,60							
21,30 x 2,00							
21,30 x 2,60							
21,30 x 3,60							
21,30 x 4,50							
21,30 x 7,50							
21,34 x 1,65							
21,34 x 2,11							
21,34 x 2,77							
21,34 x 3,73							
21,34 x 4,78							
21,34 x 7,47							
22,00 x 1,00							
22,00 x 1,50							
22,00 x 2,00							
22,00 x 3,00							
22,00 x 4,00							
23,00 x 1,50							
25,00 x 1,00							
25,00 x 1,50							
25,00 x 2,00							
25,00 x 2,50							
25,00 x 3,00							
25,00 x 4,00							
25,00 x 5,00							
25,40 x 1,24							
25,40 x 1,65							
25,40 x 2,11							
26,67 x 1,65							
26,67 x 2,11							
26,67 x 2,87							
26,67 x 3,91							
26,67 x 5,56							
26,67 x 6,82							
26,90 x 1,60							
26,90 x 2,00							
26,90 x 2,60							
26,90 x 4,00							
26,90 x 5,40							
26,90 x 8,00							
28,00 x 1,50							
28,00 x 2,00							
28,00 x 3,00							
28,00 x 4,00							
28,00 x 5,00							
30,00 x 1,50							
30,00 x 2,00							
30,00 x 3,00							
30,00 x 4,00							
30,00 x 5,00							

## SEAMLESS TUBES AND PIPES

### ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1

Seamless tubing cold drawn, annealed and pickled or bright annealed. Execution and testing according to ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1

For grade 310S and 1.4845, ASTM-A 213AW and SEW 470 are applicable.

For grade 904L / UNS N08904 and 1.4539, ASTM-8 and VdTUV 421 are applicable.

### ASTM-A 312

Seamless cold drawn or hot finished annealed and pickled or bright annealed. Execution, tolerances and testing according to ASTM-A 312 / A 999, ANSI B36.10 / B36.19.

### DIN 17457 PK1

Seamless cold drawn or hot finished or bright annealed. Execution, and testing according to DIN 17458 PK1. Tolerances according to DIN 1127 D2/T3 or D3/T3 or D4/T3.

Other grades and dimensions are available upon request.

Random lengths of about 6 meter (min. 4 meter – max. 7 meter).

Certificates: 3.1B on request



# Stainless Steel Seamless Tubes and Pipes



Dimension	304/L 1.4301/07 1.4306	321/H 1.4541	316/L 1.4401/04	316Ti 1.4571	310S 1.4845	904L 1.4539	DUPLEX 1.4462
33,40 x 1,65	•						
33,40 x 2,11	•						
33,40 x 2,77	•						
33,40 x 3,38	•						
33,40 x 4,55	•						
33,40 x 6,35	•						
33,40 x 9,09	•						
33,70 x 1,60	•						
33,70 x 2,00	•						
33,70 x 2,60	•						
33,70 x 3,20	•						
33,70 x 4,50	•						
33,70 x 6,00	•						
33,70 x 9,00	•						
35,00 x 2,00	•						
35,00 x 5,00	•						
38,00 x 2,00	•						
38,00 x 2,60	•						
38,00 x 3,00	•						
38,00 x 4,00	•						
38,00 x 5,00	•						
40,00 x 2,00	•						
40,00 x 5,00	•						
42,00 x 3,00	•						
42,16 x 2,11	•						
42,16 x 2,77	•						
42,16 x 3,56	•						
42,16 x 4,85	•						
42,16 x 6,35	•						
42,16 x 9,70	•						
42,40 x 1,60	•						
42,40 x 2,00	•						
42,40 x 2,60	•						
42,40 x 3,20	•						
42,40 x 5,00	•						
42,40 x 6,30	•						
42,40 x 10,00	•						
48,26 x 2,11	•						
48,26 x 2,77	•						
48,26 x 3,68	•						
48,26 x 5,08	•						
48,26 x 7,14	•						
48,26 x 10,15	•						
48,30 x 1,60	•						
48,30 x 2,00	•						
48,30 x 2,60	•						
48,30 x 3,20	•						
48,30 x 5,00	•						
48,30 x 7,10	•						
48,30 x 10,00	•						
50,00 x 5,00	•						
51,00 x 2,60	•						
57,00 x 2,90	•						
60,30 x 2,00	•						
60,30 x 2,60	•						
60,30 x 3,60	•						
60,30 x 5,00	•						
60,30 x 8,00	•						
60,30 x 11,00	•						
60,33 x 2,11	•						
60,33 x 2,77	•						
60,33 x 3,91	•						
60,33 x 5,54	•						
60,33 x 8,74	•						
60,33 x 11,07	•						
73,00 x 3,00	•						
73,00 x 5,00	•						
73,00 x 7,00	•						
73,00 x 9,00	•						
73,03 x 3,05	•						
73,03 x 5,16	•						
73,03 x 7,01	•						
73,03 x 9,53	•						
73,03 x 14,02	•						
76,10 x 2,00	•						
76,10 x 3,60	•						
88,90 x 2,00	•						
88,90 x 3,00	•						
88,90 x 4,05	•						
88,90 x 5,00	•						
88,90 x 7,10	•						
88,90 x 11,00	•						
88,90 x 15,00	•						

**SEAMLESS TUBES AND PIPES**

**ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1**  
 Seamless tubing cold drawn, annealed and pickled or bright annealed. Execution and testing according to ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1

For grade 310S and 1.4845, ASTM-A 213AW and SEW 470 are applicable.

For grade 904L / UNS N08904 and 1.4539, ASTM-8 and VdTUV 421 are applicable.

**ASTM-A 312**  
 Seamless cold drawn or hot finished annealed and pickled or bright annealed. Execution, tolerances and testing according to ASTM-A 312 / A 999, ANSI B36.10 / B36.19.

**DIN 17457 PK1**  
 Seamless cold drawn or hot finished or bright annealed. Execution, and testing according to DIN 17458 PK1. Tolerances according to DIN 1127 D2/T3 or D3/T3 or D4/T3.

Other grades and dimensions are available upon request.

Random lengths of about 6 meter (min. 4 meter – max. 7 meter).

Certificates: 3.1B on request

# Stainless Steel Seamless Tubes and Pipes



Dimension	304/L 1.4301/07 1.4306	321/H 1.4541	316/L 1.4401/04	316Ti 1.4571	310S 1.4845	904L 1.4539	DUPLEX 1.4462
88,90 x 3,05	•						
88,90 x 5,49	•						
88,90 x 7,62	•						
88,90 x 11,13	•						
88,90 x 15,24	•						
101,60 x 3,00	•						
101,60 x 4,05	•						
101,60 x 5,40	•						
101,60 x 8,00	•						
101,60 x 3,05	•						
101,60 x 5,74	•						
101,60 x 8,08	•						
108,00 x 4,00	•						
114,30 x 3,00	•						
114,30 x 4,50	•						
114,30 x 6,00	•						
114,30 x 8,00	•						
114,30 x 12,70	•						
114,30 x 3,05	•						
114,30 x 6,35	•						
114,30 x 8,56	•						
114,30 x 13,49	•						
114,30 x 17,12	•						
121,00 x 4,00	•						
133,00 x 4,00	•						
139,70 x 4,00	•						
139,70 x 6,35	•						
139,70 x 9,50	•						
139,70 x 15,00	•						
141,30 x 3,40	•						
141,30 x 6,55	•						
141,30 x 9,53	•						
141,30 x 15,88	•						
159,00 x 4,50	•						
168,28 x 3,40	•						
168,28 x 7,11	•						
168,28 x 10,97	•						
168,28 x 18,26	•						
168,30 x 4,50	•						
168,30 x 7,10	•						
168,30 x 10,00	•						
168,30 x 18,00	•						
219,08 x 3,76	•						
219,08 x 8,18	•						
219,08 x 12,70	•						
219,08 x 23,01	•						
219,10 x 8,00	•						
219,10 x 12,50	•						
219,10 x 23,00	•						
273,00 x 4,00	•						
273,00 x 9,00	•						
273,00 x 12,50	•						
273,05 x 4,19	•						
273,05 x 9,27	•						
273,05 x 12,70	•						
323,85 x 4,57	•						
323,85 x 9,53	•						
323,85 x 12,70	•						
323,90 x 4,50	•						
323,90 x 9,50	•						
323,90 x 12,50	•						

**SEAMLESS TUBES AND PIPES**

**ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1**  
 Seamless tubing cold drawn, annealed and pickled or bright annealed. Execution and testing according to ASTM-A 269, ASTM-A 312AW and DIN 17458 PK1

For grade 310S and 1.4845, ASTM-A 213AW and SEW 470 are applicable.

For grade 904L / UNS N08904 and 1.4539, ASTM-8 and VdTUV 421 are applicable.

**ASTM-A 312**  
 Seamless cold drawn or hot finished annealed and pickled or bright annealed. Execution, tolerances and testing according to ASTM-A 312 / A 999, ANSI B36.10 / B36.19.


**DIN 17457 PK1**  
 Seamless cold drawn or hot finished or bright annealed. Execution, and testing according to DIN 17458 PK1. Tolerances according to DIN 1127 D2/T3 or D3/T3 or D4/T3.

Other grades and dimensions are available upon request.

Random lengths of about 6 meter (min. 4 meter – max. 7 meter).

Certificates: 3.1B on request





**DEI MA**

**DEI MA S.p.A.**

Via Collina Alta, 56

Gavarno - Italy

Tel: +39-035-896580

Fax: +39-035-896588

[info@deimaspa.com](mailto:info@deimaspa.com)

[www.deimaspa.com](http://www.deimaspa.com)